


STEEL SHIELD EXTERNAL DOOR STANDARD FRAME OPTIONS


Standard Single Rebate Frame




Constructed as standard from 1.5mm thick Magnelis corrosive resistant steel. The frame jambs and header are assembled together using a heavy duty bolt together system. All of the components are mechanically fixed to remove any welding from the door frame and so maximise the warranty that we are able to offer.

As with all of the frame systems from Securexit they come with our rapid fit, no shim, screw adjusters and frame extensions to allow up to 15mm per side fitting tolerance, whilst leaving you with a visually perfect fit and no large gaps to mastic.

Header & Hinge Profile



Strike Profile




Optional Double Rebate Frame




Constructed as standard from 1.5mm thick Magnelis corrosive resistant steel. The frame jambs and header are assembled together using a heavy duty bolt together system. All of the components are mechanically fixed to remove any welding from the door frame and so maximise the warranty that we are able to offer..


As with all of the frame systems from Securexit they come with our rapid fit, no shim, screw adjusters and frame extensions to allow up to 15mm per side fitting tolerance, whilst leaving you with a visually perfect fit and no large gaps to mastic.

Header & Hinge Profile



Strike Profile






Optional SingleCorner Frame

Constructed as standard from 1.5mm thick Magnelis corrosive resistant steel. The frame jambs and header are assembled together using a heavy duty bolt together system. All of the components are mechanically fixed to remove any welding from the door frame and so maximise the warranty that we are able to offer..


As with all of the frame systems from Securexit they come with our rapid fit, no shim, screw adjusters and frame extensions to allow up to 15mm per side fitting tolerance, whilst leaving you with a visually perfect fit and no large gaps to mastic.

Our Single Corner frame has an architrave to one face depending on if you have specified inward or outward opening. The frame is intended for use in openings where you want to wrap around or finish one face of the opening and are returning the internal finishes into the other face of the frame.


Inward Header & Hinge Profile




Inward Strike Profile




Outward Strike Profile



Outward Header & Hinge Profile






Optional 2 Part Wrap Around Frame

Constructed as standard from 1.5mm thick Magnelis corrosive resistant steel. The frame jambs and header are assembled together using a heavy duty bolt together system. All of the components are mechanically fixed to remove any welding from the door frame and so maximise the warranty that we are able to offer..


As with all of the frame systems from Securexit they come with our rapid fit, no shim, screw adjusters to allow up to 15mm per side fitting tolerance.

The Two Part Frame is designed to fully cloak the reveal and provide an architrave to either face of the opening, leaving you with a fully finished door install with no further making good needed.


Inward Header & Hinge Profile



Inward Strike Profile



Outward Header & Hinge Profile



Outward Strike Profile

